ELECTRONIC COMMERCIAL TAP SOLUTIONS

Our solutions for commercial environments feature several state-of-the-art technologies focused on water and energy saving, reliability and endurance. In addition, they are equipped with touchless activation to ensure a more safety space.

sedal DIGITAL SYSTEMS



Featuring touchpads, capacitive sensors and infrared technologies, our smart systems are at the heart of your product.

Create unique connected products and let your customers enjoy an App controlled device.

The world is changing faster than ever and our needs are evolving into a new reality.

We are aware of these new challenges and, as a result, we have created SEDAL DIGITAL SYSTEMS, the new division of OEM electronic water mixing systems.

SEDAL DIGITAL SYSTEMS design and develop smart electronic valves and systems to make life easier and to contribute to building this new world, where the people and the Earth are the most important.





• THE RANGE



i-red core





i-red

i∙red[†]

i-red^{LP}



MIXING HEART INSIDE

i-red core systems for integration into faucet bodies for robust and durable designs.

With a built-in mixing valve and handle, the i-red core delivers pre-mixed water automatically in a compact body design, allowing easy installation where under-the-sink access is compromised.

The endurance of both the on-off and the mixing valve have been tested beyond standards to provide years of safe and reliable operation in public spaces.

STRAIGHT FORWARD OPERATION

Sedal's i-red for faucets are designed to work flawlessly with several off-the-shelf sensors and AC, DC and AC/DC power sources.

The range is comprised of 3 main versions: i-RED (fixed distance), i-RED+ (adjustable distance) and i-RED LP (low pressure).

With over 500.000 cycles, our valves and sensors endure under the most demanding commercial applications for your customers' peace of mind.



THE RANGE •



i-red flush

dual sense





URINAL FOSTERING SAVING

i-red flush for urinals safely and reliably delivers the right amount of water at every use condition.

Packed with UFD Technology that adjusts water flushes depending on the frequency of use, it helps your customers manage water consumption in buildings with high or low volume of users.

i-red flush line can be fully customized to your needs in regards to functionality and front plate design.

SMART, REALLY

Specially designed for kitchen faucets, the dual sense valve range offer a new way to operate by gently touching the faucet surface.

Whereas normal capacitive systems have one sensor for the body, dual sense adds another sensing area in the handle. This makes the system completely intuitive and needless to know it is a touch faucet.

Variants with bypass button and single sensor are also available in the range.



HYDROIN

O INFRARED SYSTEM



i-red core



SELF-CONTAINED MIXING BODY

i-RED CORE is a complete infrared system in a single body that combines a mixing valve, IR sensor, high grade solenoid on-off valve, battery pack (optional AC adaptor) and a plastic or brass body that acts as the main structural component.

The faucet is built around the body making the design extremely simple and easy to cast and machine.

Installation becomes more simple as there is no external valve box under the sink.

COMPATIBLE SENSORS



S3 CORE Infrared sensor for cilindric body faucet with round window.



S13 CORE Infrared sensor for cilindric body faucet with round window fixed with metal bracket.



S14 CORE Infrared sensor for cilindric body faucet with long shape window.

COMPONENTS O

CORE BR90 / BR80 BATTERY HOLDER Prepared for 4x AA type batteries, optional AC adaptor available. 90° CERAMIC CARTRIDGE Brass Core features a ceramic mixing cartridge for extended life expectancy. CORE PL90 / PL60 SAFE HOSE FIXING Plastic Core include a set of 600mm stainless steel hoses with safety bracket. BATTERY HOLDER Prepared for 4x AA type batteries, optional AC adaptor available.



O INFRARED SYSTEM



i-red

Infrared systems have been used for decades in faucets to avoid touching potentially contaminated surfaces at high influx venues, although it is something increasingly common in private homes.

i-RED systems is the Sedal's response to the demand of highly efficient automatic water delivering faucets based on inrared sensors.

With a defined detection area and distance, i-RED is the entry level infrared system that allows easy integration into faucets with detection windows either in the main body, at the spout or wall mounted.

 ${\sf Sedal\ offers\ alternative\ OEM\ designed\ sensors\ for\ special\ applications\ or\ different\ sapes.}$

COMPONENTS O

WATER SAVING

Infra-red fixed distance sensor activation with automatic shut-off time which can be customized.

CLEAN & HYGIENIC

Faucet activation is done by entering the hand into the sensor zone.

EASY MAINTENANCE

Built-in filter to avoid impurities which could affect the proper water flow.

POWER SUPPLY

3 different power options: Battery (DC), mains power supply (AC) and hybrid (AC+DC).



COMPATIBLE SENSORS





\$1 Infrared sensor for curved body faucet.















\$5 Infrared sensor for round spout, located after the outlet.





\$6
Infrared sensor for square spout, located after the outlet.



HYDRON

O INFRARED SYSTEM



COMPATIBLE SENSOR KITS O

S 7 SENSOR KIT

Round Infrared Sensor to be placed at the outlet of the spout including top performance areator.





S 8 SENSOR KIT


Semi-circular Infrared Sensor to be placed at the outlet of the spout.





S 9 SENSOR KIT

Squared Infrared sensor to be placed at the spout outlet of a squared faucet.









O INFRARED SYSTEM



LOW PRESSURE VALVE

i-RED LP low pressure valve performs outstandingly in pressures ranging 0,2BAR to 4,0BAR. Suitable for head pressure applications or very low pressure mains water systems.

Available in the same range of sensors as i-RED and i-RED+.





COMPATIBLE SENSORS

i-red LP compatible

Infrared sensor for curved body faucet.



S2 Infrared sensor for straight body faucet.



S3 Infrared sensor for wide base faucets.

i-red[†] LP compatible



S5 Infrared sensor for round spout, located after the outlet.



S6
Infrared sensor for round spout, located after the outlet.



S7 SENSOR+ KIT
Round Infrared sensor to be placed at the spout outlet.



S8 SENSOR+ KIT
Semi-circular Infrared sensor to be placed at the spout



S9 SENSOR + KIT
Rectangular Infrared sensor to be placed at the spout outlet.

INFRARED SYSTEM O

i-red flush

Highly efficient and economic solution for urinals packed with advanced technologies to save water with minimal maintenance while using a very low amount of energy.

ENERGY SAVING

Battery powered infra-red sensor activation (over 100.000 flushes on 4x AA battery type).

HYGIENIC

Automatic flush before and after use and 24 hour odor trap refill to improve bath-room atmosphere.


HASSEL-FREE

UV light and ghost reflections optimization avoid random activations or defficient detections.

UFD TECHNOLOGY

Hydron i-RED Flush features Use Frequency Detection to help saving water in high frequency venues while keeping sanitation in valley times.










CAPACITIVE SYSTEMS



electronic commercial water systems CAPACITIVE SYSTEMS O MAIN FEATURES INDEPENDENT OUTLETS Mixing takes place in a regular cartridge faucet 2 SENSORS Built in body and handle capacitive COLDIN MANUAL OPENING HOT IN 1/2" GAS Standard 1/2" thread for simple installation OVERRIDE Manual valve bypass button in case of power loss INDEPENDENT INLETS Easy to install and operate with no hose mess

